


CHERNG HORNG

成 虹 機 械

FW-PS SERIES



食品保鮮膜及工業用包裝膠膜押出機（自動捲台）

.....
PE FOOD WRAPPING FILM & PALLET STRETCH
FILM EXTRUDING MACHINE (W. TWO AUTO BOBBIN CHANGERS)

CHERNG HORNG MACHINERY CO., LTD.

食品保鮮膜及工業用包裝膠膜押出機 (自動捲台)

PE FOOD WRAPPING FILM & PALLET STRETCH FILM EXTRUDING MACHINE
(W. TWO AUTO BOBBIN CHANGERS)

MODEL			FW-PS SERIES		
DESCRIPTION	機種		FW-PS-50A	FW-PS-65A	FW-PS-75A
RAW MATERIAL	使用原料		LLDPE		
FILM THICKNESS	膜厚	MM	0.008-0.1	0.008-0.1	0.01-0.1
FILM WIDTH	膜寬範圍	MM	200-750	600-1150	900-1600
EXTRUDING OUTPUT	產量	KG/HR	20-65	45-90	60-140
WHOLE POWER REQUIRED	總電力	KW	40	50	70
OVERALL DIMENSION	機器尺寸	CM	450x220x400	480x260x450	680x320x600
NET WEIGHT	淨重	KG	3200	4200	6500
EXTRUDER			LOW BASE TYPE		
SCREW DIAMETER	螺桿直徑	MM	50	65	75
SCREW RATIO	螺桿直徑比	L/D	30:1		
DRIVING V.S. MOTOR	送料V.S.馬達	HP	30	50	75
HEATING POWER	加熱能量	KW	10	15	20
SCREW SPEED	螺桿速率	RPM	0-120	0-110	0-110
COOLING BLOWER	冷卻送風機		3" x 2PCS	3" x 3PCS	3"x 4PCS
TEMP.CONTROLLER	溫控點	ZONE	6	7	8
DIE			SPIRAL TYPE		
DIE DIAMETER	模頭直徑	MM	250	400	600
HEATING POWER	加熱能量	KW	6.1	7.2	12.6
ROTATING AIR RING	迴轉風環	SET	1		
CHILLED AIR DEVICE	冷凍風裝置	SET	1		
ROTATING DIE DEVICE	迴轉模頭	SET	1		
TAKE-UP UNIT			MOTOR TYPE		
TAKE-UP D.C.MOTOR	引取D.C.馬達	HP	1		2
TAKE-UP ROLLER WIDTH	引取輪寬	MM	800	1200	1800
TAKE-UP HEIGHT	引取高度	MM	4200	4500	6000
TAKE-UP SPEED	引取速度	RPM	10-120		
WINDER			SURFACE TYPE / TWO STATIONS		
WINDING ROLLER	捲取輪	PC	870 MM X 2 PCS	1270 MM X 2 PCS	1870 MM X 2 PCS
WINDING DC/TM MOTOR	捲取D.C.轉矩馬達		1HP X 2 PCS		
ADHESIVES AUTO-FEEDER	黏劑添加器	SET	1		
WASTAGE WINDER	廢料捲取台		1 SET (TORQUE MOTOR 10 KG/CM)		

OPTIONAL EQUIPMENTS:

AIR COMPRESSOR, AUTO-LOADER, WASTAGE AUTO FEED-BACK DEVICEETC.

選購備品：空氣壓出機、吸料機、自動廢料回收裝置.....等。

SPECIFICATIONS ARE SUBJECT TO CHANGE FOR IMPROVEMENT WITHOUT ADVICE.



ROC PAT. 124715, 124639
 PROC PAT. ZL 97 2 15027.2
 AL 97 2 15026.9




食品保鮮膜複捲機

FOOD WRAPPING FILM REWINDER

MODEL	型號	FWR-300
DESCRIPTION	說明	
WINDING WIDTH	捲取寬度	300 MM
WINDING LENGTH	捲取長度	15M-150M
OUTPUT / HOUR	產量 / 時	33M x 600PCS
MAIN MOTOR	主馬達	AC MOTOR 1HP
MATERIAL FEEDING	進料	AIR TYPE
CLUTCH BRAKE	離合煞車器	1/2 HP
PAPER CORE I.D.	紙管內徑	34 MM

ROC PAT. 191929 188471
 PROC PAT. ZL 01 2 00049.3
 ZL 01 2 00043.3




工業用延伸膜分條複捲機

PALLET STRETCH FILM SLITTING & REWINDING MACHINE

MODEL	型號	SRM-520
DESCRIPTION	說明	
FILM WIDTH	材料寬度	500MM
FILM THICKNESS	材料厚度	0.01MM-0.03MM
REWINDING WIDTH	複捲寬度	50MM-500MM
REWINDING LENGTH	產品長度	50M-1000M
REWINDING SPEED	捲取速度	500M/MIN
ROLLER WIDTH	輪寬	520MM X 2PCS
CUTTING KNIFE	切刀	9 SETS
FILM FEEDING	進料方式	AIR TYPE
AC MOTOR	AC馬達	3HP
INVERTER	變頻器	3HP
PAPER CORE L.D.	紙管內徑	1"-3"

SPECIFICATIONS ARE SUBJECT TO CHANGE FOR IMPROVEMENT WITHOUT ADVISE.



ROC PAT. 124715, 124639
 PROC PAT. ZL 97 2 15027.2
 AL 97 2 15026.9

工業用包裝膜複捲機

INDUSTRIAL STRETCH FILM REWINDER



MODEL	型號	ISR-5001
DESCRIPTION	說明	
WINDING WIDTH	捲取寬度	30/35/40/45/50 CM
WINDING LENGTH	捲取長度	50-1500M
WINDING SPEED	捲取速度	1000M / MIN
MAIN MOTOR	主馬達	AC MOTOR 5HP
MATERIAL FEEDING	進料	AIR TYPE
INVERTER	變頻器	10HP
CONVEYER	輸送帶	1 SET
PAPER CORE I.D.	紙管內徑	51MM & 76 MM

SPECIFICATIONS ARE SUBJECT TO CHANGE FOR IMPROVEMENT WITOUT ADVICE.

★ WASTAGE AUTO-FEED BACK DEVICE



製造商 MANUFACTURER

成虹機械股份有限公司

台灣台北縣三重市中正北路393巷2號

CHERNG HORNG MACHINERY CO., LTD.

P.O.BOX:42-123 TAIPEI, TAIWAN.

ADD: NO.2, LANE 393, ZHONGZHENG N. RD., SANCHONG CITY,
 TAIPEI COUNTY 24157, TAIWAN.

TEL:886-2-29813178, 29813187,29829753 FAX:886-2-29813455

E-mail:extruder@ms8.hinet.net http://www.extruder.com.tw